
TS2G/4GMP615

Description

TS2G/4GMP615 is a 2GB/4GB USB Flash Drive with 1 pcs of 2Gx8/4Gx8x8 Flash Memory assembled on the printed circuit board. It combines a USB Flash Drive with an MP3 player, AB repeater, voice recorder and an FM radio.

Outline



| <u>A</u> | Hi-Speed mini USB 2.0 Connector | | |
|----------|---------------------------------|----------------------|--|
| <u>B</u> | Microphone | | |
| <u>C</u> | Dual-Color OLED Display | | |
| D | Н | Play / Pause / Power | |
| E | + | Volume Up | |
| <u>F</u> | * | Previous / Rewind | |
| <u>G</u> | | Volume Down | |
| H | > | Next / Fast-Forward | |
| | ନ | Headphone Jack | |
| <u>J</u> | Lanyard Attachment Loop | | |
| K | | Hold Switch | |
| L | REC | Record | |
| <u>M</u> | 63 | Menu Button | |
| N | A-B | A-B Repeat | |
| <u>O</u> | RESET | Reset Button | |

Features

- MP3 Player supports MP3, WMA, WMA-DRM10 (subscription music) and WAV music formats
- Recordable FM Radio with 20 station presets
- Advanced Digital Voice Recorder
- Karaoke-style lyrics display
- Vivid dual-color OLED screen displays clear text at any angle and in any light
- VAD (Voice Activity Detection) for high quality gapless audio recordings
- A-B repeat function allows you to continuously replay a designated section of a track


- Variable track playback speeds
- Supports 13 languages including menus, song/album title, artist name and lyrics
- USB flash drive capabilities for data transfer and storage
- Included software can be used to lock your computer and password-protect your files
- 7 Equalizer effects, including a

customizable USER EQ setting

- Internal rechargeable Li-ion battery provides over 15 hours of continuous music playback*
- High-speed mini USB 2.0 port for easy computer connectivity and fast file transfers
- Real Time Clock displays local and world times

Block Diagram

With 1 pcs of 2G/4G x8 Flash Memory



Pinouts

| Pin No. | Pin Name |
|---------|----------|
| 01 | VCC |
| 02 | USB- |
| 03 | USB+ |
| 04 | VSS |
| 05 | GND |

Pin Identification

| Symbol | Function |
|--------------|--|
| USB+ USB- | USB differential signal: The pairs are used to transmit Data/Address/Command |
| VCC | USB Power Input |
| VSS | Ground |
| GND | Ground |

Specifications

| • Size (L x W x H): | 70mm × 34.5mm × 15.5mm |
|-------------------------|---|
| Weight: | 28g (with Li-ion battery) |
| Music Formats: | MP3 WMA and WMA-DRM10 (Subscription music) |
| Recording Format: | ADPCM (WAV) |
| Estimated Battery Life: | 15 hours Music playback (fully charged battery) |
| Compression Rates: | 32Kbps to 320Kbps |
| Data Retention: | Up to 10 years |
| Erase Cycles: | ≥ 100,000 times |
| Signal-to-Noise Ratio: | ≥ 90dB |
| Power Supply | USB mass storage: DC5V ±10% MP3 Player: 3.7V Li-ion battery |
| Certificates: | CE, FCC, BSMI |
| Warranty: | 2-years |